


## brother printer hl-2170w user manual



**File Name:** brother printer hl-2170w user manual.pdf

**Size:** 1464 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 12 May 2019, 15:22 PM

**Rating:** 4.6/5 from 716 votes.

**Status:** AVAILABLE

Last checked: 5 Minutes ago!

**In order to read or download brother printer hl-2170w user manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with brother printer hl-2170w user manual . To get started finding brother printer hl-2170w user manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# brother printer hl-2170w user manual

Setting Up the Machine Installing the Printer Driver Setup is Complete. How to use the printer, see the User's Guide on the CDROM. Caution Cautions specify procedures you must follow or avoid to prevent possible damage to the printer or other objects. Doing this might cause an electrical shock. After you have just used the printer, some internal parts of the printer will be extremely hot. DO NOT touch the shaded parts shown in the illustration when you open the front or back cover of the printer. Doing this may cause a fire or electrical shock. Refer to the Users Guide for how to clean the machine. Changes or modifications not expressly approved by Brother Industries, Ltd. Industry Canada Compliance Statement For Canada This Class B digital apparatus complies with Canadian ICES003. The label shown below is attached in countries where it is needed. Rock it from side to side several times to distribute the toner evenly inside the assembly. Put the drum unit and toner cartridge assembly into the printer. Close the front cover of the printer. While pressing the green paperguide release lever, slide the paper guides to fit the paper size you are using. Make sure that the guides are firmly in the slots. Make sure that the printer power switch is off. Connect the AC power cord to the printer. Plug the AC power cord into an AC power outlet. Turn on the printer power switch. Click Install Printer Driver on the menu screen. Note Choose the Install Printer Driver icon for your region. Setup is now complete. Note XML Paper Specification Printer Driver. Note Choose the Install Printer Driver icon for your region. Windows Put the supplied CDROM into your CDROM drive. Setup is now complete. Note XML Paper Specification Printer Driver. Note Choose the Install Printer Driver icon for your region. Setup is now complete. Note XML Paper Specification Printer Driver. <http://gurolmumcu.com/userfiles/daewoo-gas-boiler-manual.xml>

- **brother printer hl-2170w instruction manual, brother printer hl-2170w user manual, brother printer hl-2170w user manual download, brother printer hl-2170w user manual pdf, brother printer hl-2170w user manual free, brother printer hl-2170w user manual software.**

Although Brother HL2170W can be used in a both wired and wireless network, only one of the connection methods can be used at a time. Click Install Printer Driver on the menu screen. Note Choose the Install Printer Driver icon for your region. For configuration, you must temporarily connect your Brother wireless device your printer directly to a free port on your access point, hub or router using a network cable. When the following screen appears, insert the network cable to the access point and then to the printer. When configuring your Brother wireless printer, you must ensure that it is configured to match the Authentication and Encryption settings of your existing wireless network. Setup is now complete. Click Install Printer Driver on the menu screen. Note Choose the Install Printer Driver icon for your region. The printer starts the onepush wireless setting mode. See Print the Printer Settings Page on page 46. Choose your printer, and then click Next. Setup is now complete. During this time the following screen will appear. During this time the following screen will appear. Choose your printer, and then click Add. Although Brother HL2170W can be used in a both wired and wireless network, only one of the connection methods can be used at a time. For configuration, you must temporarily connect your Brother wireless device your printer directly to a free port on your access point, hub or router using a network cable. When the following screen appears, insert the network cable to the access point and then to the printer. When configuring your Brother wireless printer, you must ensure that it is configured to match the Authentication and Encryption settings of your existing wireless network. During this time the following screen will appear. Note If more than one printer is available, the following list appears.

Choose the printer you wish to connect, and then click OK. Configure the wireless settings Make sure the printer power switch is on. <http://bugskin.org/userfiles/daewoo-istana-service-manual.xml>

The printer starts the onepush wireless setting mode. The Brother software will search for the Brother printer. During this time the following screen will appear. Macintosh Note If more than one printer is available, the following list appears. It can also search for Brother products on your network, view the status and configure basic network settings, such as IP address. For more information about the consumables for your printer, visit us at or contact your local Brother reseller. Failure to remove the unit and put it in a plastic bag before shipping may cause severe damage to the printer and may VOID THE WARRANTY. Brother reserves the right to make changes without notice in the specifications and materials contained herein and shall not be responsible for any damages including consequential caused by reliance on the materials presented, including but not limited to typographical and other errors relating to the publication. Well, you can stop the search weve gathered most of Brothers MFC allinone printers, laser printers, inkjet printers and fax machine User Instruction Manuals and made available for download free of charge. If you dont have it, you can download it free. Page Count 2 Fast, affordable printingFast monochrome laser printing up to 23 pages per minute. High quality output at up to 2400 x 600 dpi. Flexible paper handling with up to 250sheet paperCompact size, ideal for home or home office. SleekWirelessUserfriendlyAffordable, compact, network wireless printing. Highquality laser printing. Sleek, space saving and designed to be sharedIt includes builtin Ethernet and wireless. It also features fastFlexible paper handling. The HL2170W can handle a variety of media types. It features an enclosed, up to 250 sheet paperAffordable to own and operate. The HL2170W offers an economical costperpage. Its TonerSave mode can also help extendEasytouse and maintain. The HL2170W is simple to set up and operate.

Our innovative driver installation quickly guides usersService and support are part of the package. We are dedicated to comprehensive service andFor added support, the "Brother Solutions Center"FAQs to help you get the most out of your printer. For users with wireless access points that supportProduct SpecificationsLTR, LGL, EXE, A4, A5, A6, B5, B6, Folio. Envelopes Com10, DL. Custom size 76.2220 mm width x Up to 23 ppm. Less than 10 sec. Plain paper, Bond paper, Recycled paper. Envelopes, Labels, TransparenciesSound pressure. Printing LpAm 51dB A. Standby LpAm 30dB A. Sound power. Printing LWAd 6.7B A. Standby LWAd 4.5B ABRAdmin Professional 3.0, Web BRAdmin4. Item. Part numbersBlack high yield toner 2,600 pages1Black starter toner 1,000 pages1. Drum unit 12,000 pages1Ethernet, FullSpeed USB 2.0Port9100, IPPS, FTP Server, POP beforeManual. Printing 460W at 25c. Standby 80W at 25c. Sleep mode 8W at 25cFor more information please call 1877BROTHER 18772768437 or visit our web site brother.ca. Drum yield is approximate and may vary by type of use. 2SomeSee User's guide online for details. 3All references to sheets of paper refer to 20 Lbs bond paper. 4Download at.com. 5Laser Notice Class 1 Laser Product IEC 6082512001. The WiFi CERTIFIED Logo is a certification mark of the WiFi Alliance. Mac is a trademark of Apple Computer, Inc., registered inAll registered trademarks referenced herein are the property of theirPrinted in Canada.File Type Extension pdf. PDF Version 1.4. Linearized Yes. XMP Toolkit Adobe XMP Core 4.0c006 1.236519, Wed Jun 14 2006 083124. Create Date 20080208 1559170500. Metadata Date 20080208 1559230500. Modify Date 20080208 1559230500. Creator Tool Adobe InDesign CS3 5.0.1. Thumbnail Format JPEG. Thumbnail Width 256. Thumbnail Height 256. Thumbnail Image Binary data 9840 bytes, use b option to extract. Instance ID uuid267e4a8ba4fede418918b0b1c8ca5c51. Document ID adobedocidinddccbabe9eed0bb11dc837baca823f0bace. Rendition Class proofpdf.

Derived From Instance ID a67a5af1d0b411dc837baca823f0bace. Derived From Document ID adobedocidinddf2f3669bcfde11dcb324891055df7606. Manifest Link Form ReferenceStream, ReferenceStream, ReferenceStream, ReferenceStream, ReferenceStream, ReferenceStream.

Manifest Placed X Resolution 72.00, 72.00, 72.00, 72.00, 72.00, 72.00. Manifest Placed Y Resolution 72.00, 72.00, 72.00, 72.00, 72.00, 72.00. Manifest Placed Resolution Unit Inches, Inches, Inches, Inches, Inches, Inches. Manifest Reference Instance ID  
uuidA866512F5DD2DC118A2492EFA16C6E02, uuidB7958C3BACD0DC1183DBF171A9DF1419, uuidED06FDFDAED0DC1183DBF171A9DF1419, uuid9CC9880DAED0DC1183DBF171A9DF1419, uuidD12B1A0BABD0DC1183DBF171A9DF1419, uuid19FFE053175911DCB0C8DCE077D83605. Manifest Reference Document ID uuidA766512F5DD2DC118A2492EFA16C6E02, uuidB6958C3BACD0DC1183DBF171A9DF1419, uuidEC06FDFDAED0DC1183DBF171A9DF1419, uuid9BC9880DAED0DC1183DBF171A9DF1419, uuidD02B1A0BABD0DC1183DBF171A9DF1419, uuid19FFE052175911DCB0C8DCE077D83605. Producer Adobe PDF Library 8.0. Trapped False. Page Count 2. Creator Adobe InDesign CS3 5.0.1. Compilation and Publication. This manual has been compiled and published, under the supervision of. Page 3 PREFACEPage 4 APPENDIX 1 SERIAL NUMBERING SYSTEMREGULATION.vii. SAFETY INFORMATION.xiPage 12 SAFETY INFORMATIONPage 18 2 CleaningPage 20 Error clearance by. LED Type of error pressing the Refer toPage 24 4 Cartridge position errorPage 25 6 No paper fed manual feed slotPage 27 8 Front cover is openPage 31 15 Laser unit failureIf you have print quality problems, clean the drum unit as followsTry to change to freshly unpackedReplace the toner cartridge with a new.Page 58 Tightening torqueUNDER FG WIRE Taptite bind B. Page 59 4. LUBRICATIONPage 70 Assembling Note.

When operate while having the Screw installation part of the SW key, be careful not toPage 78 3 Remove the two Taptite pan washer B M4x14 screws, and then remove the Fuser unitWhen assembling the Roller holder ASSY to the Main body, note the assembling methodPage 97 2 Remove the Taptite cup S M3x6 SR screw, and then remove the FG harness ASSY fromPage 101 3 Release the Hook to remove the LED holder from the Toner LED PCB ASSY.Page 106 2 Remove the two Taptite bind B M3x10 screws, and then remove the Actuator holderPage 108 6 Remove the Edge actuator spring from the Actuator holder ASSY.Page 109 8 Remove the Taptite bind B M3x10 screw, and then remove the Registration front sensorPage 111 2 Remove the two Taptite bind B M3x10 screws, and then remove the Rear actuator holderPage 113 6 Remove the Taptite bind B M3x10 screw, and then remove the Registration rear sensorPage 115 2 Remove the Taptite cup S M3x6 SR screw and the nine Taptite bind B M4x12 screws,Page 119 5 Remove the Registration solenoid lever spring from the Main body and RegistrationPage 122 2 Remove the two Taptite cup S M3x6 SR screws, and then remove the Chute groundPage 123 3 Remove the Main PCB sheet from the Main shield plate.Page 124 5 Release the Hook to remove the Eject sensor PCB ASSY from the Main body.Page 127 2 Remove the two Taptite cup S M3x6 SR screws, and then remove the Chute groundPage 128 3 Release the Hook to remove the Registration gear 25 terminal, the two Feeder gear 17Page 129 4 Remove the Taptite cup S M3x6 SR screw and the Taptite bind B M4x12 screw, and thenPage 134 8 Alert warning message of WHQL appears three times. Click Continue Anyway toPage 135 12 Alert warning message of WHQL appears. Click Continue Anyway to proceed.After the installation procedure of the Brother Maintenance USB Printer driver isHowever, if there isThe machine returns to. Page 147 1.3 Service ModePage 148 Press the SW supporter twice.

Press the SW supporter again depending on the necessary number of times after checkWhenever youDrum. Page 156 2 Counter information, history informationPage 160 CHAPTER 6 CIRCUIT DIAGRAMS, WIRING DIAGRAMFrame manufacturer X delayA January. Page 171 APPENDIX 2 SCREW CATALOGUE. Taptite bind BTaptite cup BPage 173 APPENDIX 4 REFERENCESIt is possible to get the instruction of the subject. Try checking the product description for more information.Used Very GoodThe Page Counts is under 10,000 page counts. It does not include any software, but it can be downloaded free from the internet. There are some light marks on the case from use, but in good cosmetic condition. Please check my other auctions. Email us with any questions We guarantee 30DAY NO DOA!Please try again.Please try again.Please choose a different delivery location.In order

to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Please try your search again later. It features network connectivity via Ethernet and wireless interfaces, a fast print speed of up to 23ppm, HQ resolution up to 2400 x 600 dpi for highquality output, and quick processing with 32MB memory. The HL2170W provides flexible paper handling via an enclosed 250sheet capacity tray and a manual bypass slot for printing envelopes and letterhead. It also offers a Toner Save mode to extend toner life and wide compatibility with support for Windows and Mac and PCL6 emulation. Versatile and Professional This monochrome laser printer not only warms up in less than 10 seconds and prints up to 23 pages per minute to give you nearinstant access to important reports, documents, and annual family letters when you need them, it also includes a manual bypass feeder for professional printing on envelopes and letterhead.

The highquality resolution up to 2400 x 600 dpi of this personal blackandwhite laser printer reflects the time and care that you put into each document, while giving you the benefits of low cost per page laser output. The printer also includes 32 MB memory, and a 250sheet capacity tray that can conveniently accommodate standard, legal, and custom sized paper. Brother makes wireless setup a snap; for users with wireless access points that support SecureEasySetup, WiFi Protected Setup, or AOSS, you can automatically configure your wireless settings by simply pressing a button on your router. Ergonomic and Energy Efficient The Brother HL2140 17.9by18.7by14.2inch efficient design features a toner save mode for extended toner life as well as sleep mode. Easy to set up and a breeze to use, this printer is compatible with both Mac and Windows operating systems, and includes an animated userfriendly tutorial to help answer common support and maintenance questions. For added peace of mind, this machine is Energy Star compliant, which means it helps save the environment while saving you money. Energy Star is a joint program of the U.S. Environmental Protection Agency and the U.S. Department of Energy promoting energy efficiency. This personal laser printer is backed by a oneyear limited manufacturers warranty. Whats in the Box HL2170W laser printer, starter toner cartridge and instruction kit. It features network connectivity via Ethernet and wireless interfaces, a fast print speed of up to 23ppm, HQ resolution up to 2400 x 600 dpi for highquality output, and quick processing with 32MB memory. It also offers a Toner Save mode to extend toner life and wide compatibility with support for Windows and Mac and PCL6 emulation. Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average.

[avenirpourtous.fr/wp-content/plugins/formcraft/file-upload/server/content/files/16274509c304d7---brother-2700cn-manual.pdf](http://avenirpourtous.fr/wp-content/plugins/formcraft/file-upload/server/content/files/16274509c304d7---brother-2700cn-manual.pdf)

The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers, and factors that establish reviewer trustworthiness. Please try again later. Chad R. Thomas 4.0 out of 5 stars I found it very easy to configure for both wired and wireless networks, although I use mine on a wired connection out of convenience. I print mostly plain text, and the quality is very good. I have but two complaints First, the paper comes out slightly curled, but this is a fact of life for a printer this size. Second, Brother has programmed the printer such that when it thinks the toner is empty, it stops working. This happened to me when I was printing some important documents. I did some internet searches and examined the toner cartridge. There is a clear plastic circle at each end of the toner cartridge. The printer shines a light through to see how full the toner is. Simply cover one of them with a piece of opaque tape, and the printer will think that the toner is full. Been using heavily for 8 years now, and it still works fantastic. Hasnt ever needed a repair despite heavy use. As a grad student now, I especially print A LOT. I dont use the wireless feature, although I did use bluetooth once in a pinch. I replace the toner maybe twice a year, with low lost recycled toner. Almost always print doublesided. Ive owned this printer for years. First wireless setup was a breeze on a Mac using recommended method. Moved and called Brother for

instructions because the manual instructions no longer worked for wireless. After moving again I spent hours on the phone with tech support for my internet provider without successful wireless setup. Moved again and called Brother to see if I could get those same instructions that worked before. The tech support person was extremely helpful considering the warranty has long since expired but was unsuccessful in wireless setup.

This one worked fine as a network printer, but now under Win 10 it has to be reset with almost every use. I will keep it until this toner cartridge runs out. Then donate to GoodWill Industries. But, if you have any pre Win 10 operating system including Linux it will work fine without constant attention. Brother still provides excellent online support. Emails to tech support initially went unanswered. I finally called tech support thinking it would be a waste of time but they were incredibly helpful I was only on hold for a few moments. We got disconnected but the Brother tech support guy called me back twice. Now it works perfectly and the USB cable has already been sold on eBay. The print jobs have been excellent very clear and crisp. The printer itself is compact with no extending paper trays. I'm very impressed with this printer and with Brother tech support. Highly recommend this wireless printer. This little printer has been mightily used. I work from home for several companies and I have worked this little guy hard. True, it is a dedicated printer and doesn't have the ability to fax or copy, but I have never had the slightest difficulty getting it to print. It does exactly what it was designed to do print. Paper jams are rare if the printer is used properly and on the occasion, one does encounter a paper jam, it is easy to unjam. There is a separate slidethrough compartment to place individual sheets such as when printing labels so that the sheets don't get jammed in the printer. You may also use this separate slidethrough compartment to print other, thicker pieces of paper. I do stock transfers and will, on occasion, use the slidethrough compartment for certificates, however, most of the time, the printer has no difficulty accepting the certificate paper when placed in the main tray and the certificates come out great.

I use Windows 7 and my computer and printer are hardwired, although I have used the wireless feature and had no difficulties when using it wireless. Please do not offer the downloaded file for sale only use it for personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need Acrobat Reader or similar PDF reader program. In addition, Also some files are djvu so you need djvu viewer to open them. These free programs can be found on this page needed progs If you use Opera you have to disable Opera Turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Translate this page Relevant PRINTER forum topics Brother DCP115C Segitsetget szeretnek kerni egy Brother DCP115C nyomtato javitasaval kapcsolatan. A hibajelenseg az LCD kijelzonen Nem lehet nyomtatni. Szervizmenube lepve Error code 51. Latszatra elkezd tesztelni a nyomtatofej, a ket veghelyzet kozott mozog, es tisztitast vegez, majd megall, es a fenti hibajelentest adja a keszulek. A keszuleket tisztitas lehetetlen hibaval hoztak, ezt megoldottam, majd miutan a gepet meg teszteltem, halozatbol kibe, utana jott a most tapasztalt hiba, itt megakadtam. Ugy tunik nem szorul semmi, a fej kezzel konnyen mozog. Eddig meg nem talalkoztam ezzel a tipussal, lenne valakinek otlete, mi lehet a hiba oka. Vagy egy szervizkonyvet tudnatok kuldeni Koszonom elore is a segitseget. Brother HL2170W lezernyomtato nem akar bemelegedni MEGOLDVA Sziasztok. Mar egy jo ideje kaptam egy Brother HL2170w nyomtatojat, egy 50v-os ! 110v-os adaptert es a spaci kabelet, azzal a keressel, hogy nem muxik, javitsam meg. Latvan hogy a cucc Amerikabol szarmazik, mondom a tulajnak, hogy en megjavitom, de a javitas koltsegeihez adja hozza egy kb 1 kw-os 110v-os trafo arat is, ami bizony eleg sokba fog fajni neki.

Erre azt mondja akkor dobjam el, neki nem eri meg ennyi penzt fektetni bele. Nem dobtam el, mostanig oriztem, mert nem volt idom ra. Most kibontottam, es a tapban csak egy 125v-os tulfeszvedo z1 adta meg magat es természetesen az F2, a 4As bizti. Z2bol 10A nem jott ki az elteto

fust, Z50 gyarilag ki van sporolva. Ezeket azért írom így le, mert a SM fent van a Tanyán, én is innen okultam volna. Sokat gondolkoztam, ha megjavítom a tapot, mi legyen a további sorsa, hiszen nekem sem áll módomban egy ekkora bazi nagy trafot tenni melle. Inkább levalasztom a nagy fogyasztót, a kemencét, kicserelem a lámpát egy 220vosra és direkt adok neki halozati fesszt, a tapot meg a csomagban kapott 50wos adapterrel taplalom 110val. Mindez meg is történt, az F1 és F2 közös pontjáról levalasztottam a kemencét és beadtam neki a 220vot, a tapot magat pedig 110val taplaltam. A PC2 optocsatoló triák labáin 90vact merek, a TRA1 triák A1A2 labáin szépen megvan a 220v. Ha valakinek van valami ötlete, szívesen veszem, megköszönöm. Ja, és szkópom nincs, csak egy alap multiméter. Brother DCP357C nyomatofej kiszerelese és tisztítása Kaptam egy Brother DCP357C kombinált nyomtatót. A szkennert működik, a fej viszont beszaradt állapotban volt a nyomtó részt már évek óta nem használták. A nyomatofej alá ioncserélt vizes kezelt papírt tettem, sokadszori próbálkozásra a színes fejek beindultak, de a fekete nem. Szeretném kiszerezni a fejet egy alaposabb közvetlen oldószeres tisztításhoz, de kéne hozzá a szervizkönyv. Ha valaki tud DCP350C, DCP353C vagy DCP357C szervizkönyv elérhetőseget, nagyon megköszönöm, ha segítene. Van egy kerregő hang ez a próbálkozások között jött elő amikor a nyomatofej a bal szélső helyzetbe mozdul. Szervizkönyv nélkül nem akarok kísérletezni. Udv. Gábor Brother DCP115C Udvozlok mindenkit! Egy óriási problémával állok szemben. Ebből az állapotból nem lép ki a nyomtató. Egy ismerősöm gépen szinten ez olvasható.

Tudja valaki, hogyan lehet lenullazni azt a számlalót ami ezt számolja. Próbáltam pár fórumba beleolvasni, de csak annyit találtam, hogy egy bootloader programot kellene elindítani aminek a neve BHL2. Természetesen ezt a programot nem találtam meg, nem tudtam letölteni. Ha valaki tudja a megoldást kerem írjon. Udv. Gyula Similar manuals You can write in English language into the forum not only in Hungarian. You can find a printed copy in the read this user's GUIDE thoroughly before you use the Printer. Keep the CDROM in a convenient place so you can use it quickly if you need visit us at where you can get product support, the latest driver updates and utilities, and answers to frequently asked questions FAQs and technical Not all models are available in all DUSAiUsing this guideSymbols used in this guideWe use the following icons throughout this user's GUIDE Warnings tell you what to do to prevent possible personal injury. You can find a printed copy in the read this user's GUIDE thoroughly before you use the Printer. Keep the CDROM in a convenient place so you can use it quickly if you need visit us at where you can get product support, the latest driver updates and utilities, and answers to frequently asked questions FAQs and technical Not all models are available in all DUSAiUsing this guideSymbols used in this guideWe use the following icons throughout this user's GUIDE Warnings tell you what to do to prevent possible personal injury. 2 Electrical Hazard icons alert you to a possible electrical shock. Hot Surface icons warn you not to touch machine parts that are hot. Cautions specify procedures you must follow or avoid to prevent possible damage to the Printer or other objects. Improper Setup icons alert you to devices and operations that are not compatible with the Printer.

Notes tell you how you should respond to a situation that may arise or give tips about how the operation works with other precautionsTo use the Printer safelyPlease keep these instructions for later reference and read them before attempting any maintenance. 3 If you DO NOT follow these safety instructions, there is a possibility of a fire, electrical shock, burn or There are high voltage electrodes inside the Printer. Before you clean the inside of the Printer, make sure that you have turned off the power switch and unplugged the Printer from the AC power outlet. DO NOT handle the plug with wet hands. Doing this might cause an electrical shock. Always make sure the plug is fully inserted. DO NOT use a vacuum cleaner to clean up scattered toner. Doing this might cause the toner dust to ignite inside the vacuum cleaner, potentially starting a fire. 4 Carefully clean the toner dust with a dry, lintfree cloth and dispose of it according to local regulations. Refer to Cleaning on page 73 for how to clean the machine.When you open the front or back cover back output tray of the Printer, DO NOT touch the shaded parts shown in the illustration. Plastic bags are used in the

packaging of your machine and drum unit. 5 To avoid danger of suffocation, keep these bags away from babies and children. Cleaning the outside of the Printer Make sure that you have unplugged the Printer from the AC power outlet. Use neutral detergents. Cleaning with volatile liquids such as thinner or benzine will damage the outside surface of the Printer. DO NOT use cleaning materials that contain ammonia. CAUTION Lightning and power surges can damage this product. We recommend that you use a quality surge protection device on the AC power line, or unplug the cords during a lightning storm. NoteDO NOT remove or damage the caution labels located on or around the fuser.

6 Inside the Printer Front View Inside the Printer Back ViewivTrademarksThe Brother logo is a registered trademark of Brother Industries, Ltd. Apple, the Apple Logo, Macintosh and TrueType are registered trademarks of Apple Inc.The contents of this manual and the specifications of this product are subject to change without notice. Brother reserves the right to make changes without notice in the specifications and materials contained herein and shall not be responsible for any damages including consequential caused by reliance on the materials presented, including but not limited to typographical and other errors relating to the publication. 9 2007 Brother Industries of the PrinterIf for any reason you must ship your Printer, carefully package the Printer to avoid any damage during transit. We recommend that you save and use the original packaging.You can print or view this manual from the CDROM at any time, please keep the CDROM in a convenient place for Page 2 Specifications are subject to change without notice. MFC9970CDW Datasheet. You can read this manual with Screen Reader texttospeech software. You must set up the hardware and install the driver before you can use the printer. Electrical Hazard icons alert damage to the printer or other objects. Improper Setup icons alert you to devices and operations that are not compatible with the printer. DO NOT use flammable substances or any type of spray to clean the inside or outside of the machine. Doing this may cause a fire or electrical shock.Quick Setup GuideFront viewAbout paper. Type and size of paper. The printer loads paper from the installed paper tray or the manual feed slot. The names for the paper trays in the printer driver and this guide are as follows. Paper tray Manual feed slot Tray 1 ManualUnprintable area. The area of the paper that cannot be printed on is shown in the table belowPull the paper tray completely out of the printer.